


WEIGH SAFE![®]

TRAILER HITCHES



TOWING PEACE OF MIND.[®]



WORD ON THE STREET

"Had been towing for several years with no issues and thinking I had it right. Picked up my first Weigh Safe hitch after seeing a few reviews. First time towing with it and getting my tongue weight dialed in, it felt much more under control and comfortable." - Dallas C.

"Great hitch system. Purchased a second one for my truck and absolutely love it! The look is also great! You can't go wrong with Weigh Safe." - Luis O.

"Had the best customer service experience from any company. So polite and helpful." - Keith H.

"It is nice to be able to check the tongue weight every trip without having to drive to a weigh station and calculate it. Best product on the market as far as I am concerned!" - Scott G.

"We only buy Weigh Safe hitches at this point." - Kevin V.

"We have owned a Weigh Safe hitch for 5 years and without a doubt it's the best hitch we have owned." - David R.

"After we received our hitch, I installed it, calibrated it, and went for a drive. We had a side wind that I could not feel. Semis passing us, no movement from our trailer. It made pulling our camper a joy!" - Brian L.



Questions? Call/text us at 801.820.7020 or email us at customersupport@weigh-safe.com.

TOWING WITH **WEIGH SAFE** MEANS TOWING PEACE OF MIND[®]

At Weigh Safe, our mission is to provide “Towing Peace of Mind[®]”—ensuring a safe, stress-free towing experience built on safety, performance, and reliability. Safe towing begins with knowing your limits, and that’s why we revolutionized the industry in 2013 with our patented trailer hitch that measures tongue weight.

Headquartered in Utah, Weigh Safe is dedicated to setting the standard for safety and innovation in the towing industry. Our team is driven by a passion for creating products that enhance towing safety and deliver peace of mind on every towing journey. We are constantly pushing the boundaries of what’s possible, developing innovative solutions that prioritize performance, reliability, and user-friendly design. As the only manufacturer offering patented tongue weight measuring technology, we are committed to providing the tools and knowledge that make towing safer and more confident for everyone.

Why settle for kinda safe when you can be Weigh Safe? Thank you for trusting us to keep your towing experience safe and worry-free!



Brandon Doman - President/Co-Owner





WEIGHT DISTRIBUTION

TRUE TOW WEIGHT DISTRIBUTION9



BALL MOUNTS

WEIGH SAFE LINE13

180 LINE17



GOOSENECK

SAFE LOAD OEM21

SAFE LOAD BW.....22

SAFE LOAD ISR23



RECOVERY & ACCESSORIES

RECOVERY25

CLAMSHELL27

LOCKS.....28

DISPLAY STANDS.....30



GET TO KNOW US!



BRANDON DOMAN

[PRESIDENT / CO-FOUNDER]

Brandon Doman is a co-founder of Weigh Safe, established 10 years ago, where he initially wore many hats as the company grew. His foresight in recognizing the demand for trailer safety, which no other trailer hitch company was addressing, has been pivotal in Weigh Safe's success. Today, he continues to be actively involved in Weigh Safe's development, driving innovation and growth.



BRYCE DOMAN

[CO-FOUNDER]

Bryce Doman is a co-founder of Weigh Safe, having played a crucial role in its establishment 10 years ago. With a deep commitment to innovation and product development, Bryce remains actively involved in shaping the company's growth and success. His vision and leadership continue to drive Weigh Safe forward.



MORGAN MCALLISTER

[VP OF ENGINEERING]

Morgan McAllister is the Vice President of Engineering at Weigh Safe, where he has played a pivotal role for the past eight years. With a deep expertise in engineering and a passion for innovation, Morgan has been key to driving product development and ensuring the highest standards of quality. His leadership continues to shape Weigh Safe's engineering excellence.



KYLE JOHNSON

[SENIOR DIRECTOR OF SALES]

Kyle Johnson has been successfully managing the Weigh Safe sales efforts for the past eight years! With a strong focus on driving growth and building lasting client relationships, Kyle brings a wealth of experience and leadership to the company. His dedication to excellence has been instrumental in Weigh Safe's continued success.



HIPA NERIA

[DIRECTOR OF STRATEGIC RELATIONS]

Hipa Neria is the Director of Strategic Relations at Weigh Safe, where he has been contributing to the company's growth for the past four years. His expertise in building and maintaining key partnerships and fostering long-term relationships in the RV industry has been essential to achieving our goals.

WEIGH SAFE

TOWING APP



FOR ALL YOUR TOWING NEEDS!

The Weigh Safe Towing App helps you know the ratings of your entire towing system—truck, hitch, and trailer—ensuring safer, smoother towing.

Available for both iOS and Android!

Download on the App Store

GET IT ON Google Play



DOWNLOAD NOW!

TRUE

LIVE ADJUSTMENT SCREW

BUILT-IN GAUGE



TOW

WEIGHT DISTRIBUTION



TRUE DISTRIBUTION

ANTI-SWAY PROPERTIES

"My Weigh Safe hitch is now fondly called "freight train hitch" because my travel trailer now rolls behind my truck like it's on train tracks. Do not hesitate to buy the Weigh Safe True Tow, it's worth every penny! The engineering and design of the Weigh Safe hitch are world class. When you want the very best for the safety of your family, it's Weigh Safe or bust." - Mark H.

MIDDLEWEIGHT & HEAVYWEIGHT

EASIEST & QUICKEST INSTALLATION ON THE MARKET

BUILT-IN GAUGE

Measures **tongue weight** to ensure 10-15% of your GTW is on the tongue. Also measures **distribution weight** to confirm the load is properly distributed.

LIVE ADJUSTMENT

Built directly into the head assembly for a quicker, easier installation and on-the-go, anytime adjustments.

HEIGHT ADJUSTABILITY

More accurate height adjustments with 1 1/4" hole increments. Available in 4", 6", 8", & 10" drop lengths and 2" & 2.5" shank sizes to fit any towing setup!



ANTI-SWAY PROPERTIES

Four anti-sway friction areas to help reduce trailer sway from weather conditions or passing vehicles, creating a smoother and more enjoyable tow!

TRUE DISTRIBUTION

All of these features aid in giving you a true and accurate distribution across your entire towing system.

SMARTPHONE APP

A single app that has everything you need to get your hitch setup correctly. Features a calculator that provides your Distributed Tongue Weight for a truly distributed system.



WEIGHT RATINGS

MAX GROSS TRAILER WEIGHT
(BASED OFF SPRING ARM SIZE)

MIDDLEWEIGHT

8,500 LBS
12,500 LBS

HEAVYWEIGHT

18,500 LBS
22,000 LBS

*See Page 33 for part numbers.



WEIGH SAFE

PRODUCT LINE

NEVER WORRY ABOUT AN UNBALANCED LOAD AGAIN!

KEY FEATURES

- ◆ Built-in gauge measures tongue weight
- ◆ Includes two stainless steel tow balls (2" & 2 5/16"; optional 1 7/8" tow ball available)
- ◆ Swap out tow balls in seconds
- ◆ Ultimate versatility: easy height adjustment & rise position capabilities
- ◆ Various keyed-alike lock options

WHY TONGUE WEIGHT MATTERS

- ◆ Tongue weight should be **10-15%** of your Gross Trailer Weight (GTW)
- ◆ Proper tongue weight:
 - ◆ Creates a balanced line across the entire towing system
 - ◆ Enhances the towing experience by improving vehicle performance
 - ◆ Creates a balanced and safe tow

ALUMINUM WEIGH SAFE HITCH




AVAILABLE SIZES & RATINGS

DROPS	SHANK	RATING
4" 6" 8" 10"	2" SHANK	12,500 LBS GTW
	2.5" SHANK	18,500 LBS GTW
	3" SHANK	21,000 LBS GTW



*See Page 36 for part numbers.



STEEL WEIGH SAFE HITCH



AVAILABLE SIZES & RATINGS

DROPS 6" 8"	2" SHANK	15,000 LBS GTW
	2.5" SHANK	22,000 LBS GTW
	3" SHANK	22,000 LBS GTW



*See Page 36 for part numbers.



STEEL AERO HITCH



AVAILABLE SIZES & RATINGS

DROPS | 2" SHANK | **12,500 LBS GTW**
4" | 6" | 8" | 10"



*See Page 36 for part numbers.





180


PRODUCT LINE

THE DEFINITION OF EASE & ADAPTABILITY

KEY FEATURES

- ◆ Dual-sided combo ball: 2" & 2 5/16" or 1 7/8" & 2" options
- ◆ Quickly switch tow ball sizes by turning slider 180 degrees
- ◆ Ultimate versatility: easy height adjustment & rise position capabilities
- ◆ Various keyed-alike lock options


ALUMINUM 180 HITCH



AVAILABLE SIZES & RATINGS

DROPS	SHANK	RATING
4" 6" 8" 10"	2" SHANK	12,500 LBS GTW
	2.5" SHANK	18,500 LBS GTW
	3" SHANK	21,000 LBS GTW

*See Page 35 for part numbers.



STEEL 180 PRO HITCH



AVAILABLE SIZES & RATINGS

DROPS
6" | 8"

2" SHANK | 15,000 LBS GTW
2.5" SHANK | 25,000 LBS GTW



*See Page 35 for part numbers.





SAFE LOAD
GOOSENECK

SAFE LOAD OEM BALL



RATINGS	30,000 LBS	7,500 LBS
	GROSS TRAILER WT.	MAX VERTICAL WT.



*See Page 34 for part numbers.




SAFE LOAD BW BALL



RATINGS	30,000 LBS	7,500 LBS
	GROSS TRAILER WT.	MAX VERTICAL WT.



*See Page 34 for part numbers.



SAFE LOAD ISR HITCH

DUAL BUILT-IN GAUGES

2 5/16" STAINLESS STEEL TOW BALL



INCLUDES
(4) RAIL PINS
& (4) COTTER PINS



RATINGS

30,000 LBS
GROSS TRAILER WT.


7,500 LBS
MAX VERTICAL WT.




*See Page 34 for part numbers.



COMPATIBLE WITH
INDUSTRY
STANDARD
RAILS



MEASURES PIN
LOAD WEIGHT



3" BALL OFFSET
FOR EASY
ADJUSTMENT

RECOVERY



RECOVERY



SOFT SHACKLE RING

- ◆ **40,000 LBS** breaking strength
- ◆ 1 3/4" ring diameter
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Also available in red & black cerakote



VEHICLE HOOK

- ◆ **25,000 LBS** breaking strength
- ◆ 1 1/2" hook opening
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Also available in red & black cerakote

HARD SHACKLE

- ◆ **45,000 LBS** breaking strength
- ◆ 4 3/4 ton shackle working load limit
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Shackle available in red or black



KINETIC ROPE & SOFT SHACKLE

- ◆ Premium, heavy-duty nylon
- ◆ Rope available in 20' & 30' lengths & various thickness:
 - ◆ 5/8" diameter | 5,100 lbs breaking strength
 - ◆ 7/8" diameter | 29,300 lbs breaking strength
 - ◆ 1" diameter | 33,900 lbs breaking strength
 - ◆ 1 1/4" diameter | 54,200 lbs breaking strength
- ◆ 1/2" diameter soft shackle | 46,000 lbs breaking strength



*See Page 37 for part numbers.



CLAMSHELL ADAPTER



- ◆ Converts 2" tow ball to 2 5/16"
- ◆ Fits most 2" generic tow balls
- ◆ Stainless steel construction
- ◆ Swivels to reduce wear and tear
- ◆ Max GTW matches 2" tow ball rating
- ◆ Comes with tow ball storage bag



*See Page 36 for part numbers.

FIXED HEIGHT BALL MOUNT



- ◆ 2" drop with 2" shank
- ◆ **10,000 LBS** GTW rating
- ◆ Built-in gauge measures tongue weight
- ◆ Aircraft-grade aluminum
- ◆ 2" tow ball available separately



*See Page 36 for part numbers.

LOCKS



KEYED-ALIKE LOCKS ONE KEY FOR EVERYTHING!



A. PADLOCK (WS12)

Constructed of hardened steel; 3" overall height & 1/4" shackle diameter.

B. DUST LOCK COVER (WS08)

Durable rubber designed to keep debris out of the dual pin key lock assembly.

C. DUAL PIN KEY LOCK ASSEMBLY (WS03)

Secures the slider to the draw bar. Available in aluminum (WS03), black Cerakote aluminum (WS03-CER-BLA) and black powder-coated steel (SWS03).

D. TRAILER COUPLER LATCH LOCK (WS11)

Locks the trailer coupler latch. Notched design with 1/2" increments allows fitment on various trailers. Constructed of stainless steel; 4 1/2" long and 1/4" diameter.

E. HITCH LOCKING PIN (WS05)

Locks entire hitch to towing vehicle. Constructed of solid stainless steel and fits 2", 2.5" and most 3" receiver sizes. Pin is 3 1/2" long with 5/8" diameter.

F. TRAILER COUPLER BALL LOCK (WS22)

Fits into trailer coupler and locks when not in use. Constructed of aircraft-grade aluminum & hardened steel. Notched design ensures a secure fit to any trailer.

*See Page 37 for full part numbers.

ACCESSORIES



WEIGH SAFE STORAGE CASE

- ◆ Fits **aluminum hitches** only
- ◆ Store all your hitch gear in one place
- ◆ Comes with plastic inserts to fit any size (2", 2.5", 3" shanks and 4", 6", 8", 10" drops)



ANTI-RATTLE RECEIVER REDUCER

- ◆ Reduces 2.5" receiver size to 2" size
- ◆ Anti-rattle built in to minimize rattling & thumping while towing
- ◆ Vertical or horizontal use



TAILGATE BUMP STOP

- ◆ Durable rubber design
- ◆ Compatible with **aluminum** Weigh Safe and 180 hitches
- ◆ Designed for GM Multi-Pro Tailgate
- ◆ Protects tailgate from damage & dings
- ◆ Must remove hitch before using Multi-Pro Tailgate



CERAKOTE RESTORATION WIPE

- ◆ Restores color of ceramic coating
- ◆ Designed for use on cerakote aluminum hitches



*See Page 36 for part numbers.

DISPLAY STANDS

REGULAR RED POP

Holds (4) units + accessories
 Part #: WSPOP-HS
 DIM: 25.75" x 55.5" x 20.5"



LARGE RED POP

Holds (8) units + accessories
 Part #: WSPOP-XL
 DIM: 21.45" x 50" x 53.4"



WEIGHT DISTRIBUTION POP

Holds (1) WD unit
 Part #: WSPOP-WD
 DIM: 33" x 51" x 28.25"



END CAP POP

Holds (4) units + accessories
 Part #: WSPOP-EC
 DIM: 12.5" x 48" x 9.36"



COUNTER TOP POP

Holds (1) 6" drop/2" shank
 unit + accessories
 Part #: WSPOP-CT
 DIM: 7.85" x 18.5" x 21.3"



OTHER PROMOTIONAL MATERIAL



Scan for brochures,
 counter mats, and
 instruction guides

Please contact our sales team for pricing,
 availability and any other questions at
sales@weigh-safe.com.

Are you listed on our Dealer Locator?

BENEFITS

- Increased visibility
- Enhanced local reach
- Sales opportunities
- Customer convenience
- Competitive advantage

Not a Weigh Safe dealer?

Sign up
 today!



WHO WE ARE

Since November 2013, Weigh Safe has revolutionized the towing industry with the introduction of our patented trailer hitch featuring a built-in scale that measures tongue weight. Debuted at the SEMA Show, this innovative product earned the prestigious “Best New Tools and Equipment Product” award, setting a new standard for safety and performance in towing. As the only trailer hitch manufacturer with this patented technology, Weigh Safe has since become synonymous with “Towing Peace of Mind”.

Headquartered in Lindon, Utah, Weigh Safe continues to usher in the next generation of towing innovation. With a team of experts in mechanical and manufacturing engineering, we’re dedicated to developing products that prioritize safety, reliability, and performance across all towing categories.

Our commitment to quality is reflected in every product we make, from aircraft-grade aluminum and high-strength steel components to the rigorous testing and inspection processes each item undergoes. We don’t just meet industry standards—we exceed them, ensuring lifelong durability and superior performance for our customers, whether they’re on the road or at home.

At Weigh Safe, our mission is to provide safe, reliable towing solutions that enhance your towing experience. Why be kinda safe when you can be Weigh Safe? Experience true confidence with Weigh Safe Towing Peace of Mind®.



WHAT IS TONGUE WEIGHT?

Towing a trailer with improper tongue weight—the static force the trailer tongue applies to the hitch—is like driving on egg-shaped tires. You could lose control of your vehicle and trailer, putting everyone on the road at risk. That's why it's crucial to know your tongue weight and ensure it falls within **10-15% of your gross trailer weight (GTW)**.

If **less than 10%** of your GTW is on your trailer's tongue, you have too little tongue weight, meaning most of your load is concentrated toward the back of the trailer. This can cause your trailer to sway or fishtail, making it difficult to control and stay in your lane on the road.



If **more than 15%** of your GTW is on your trailer's tongue, you have too much tongue weight, meaning most of your load is concentrated toward the front of the trailer. This can overload your vehicle's rear tires, causing difficulty when braking or steering and increase the wear on your vehicle and trailer.



SEE HOW IT WORKS



The ideal tongue weight, between **10-15% of your GTW**, creates a balanced line from the front of the truck to the back of the trailer, keeping the coupler nearly level. Maintaining tongue weight in this range enhances your towing experience by improving performance and reducing risk on the road.

PART NUMBERS

TRUE TOW MIDDLEWEIGHT FULL UNIT

PART #	DROP	SHANK	MAX GTW	DESCRIPTION
TTMW4-2	4"	2"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 4" DROP, 2" SHANK - 8,500 GTW
TTMW4-2XL	4"	2"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 4" DROP, 2" SHANK - 12,500 GTW
TTMW4-2.5	4"	2.5"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 4" DROP, 2.5" SHANK - 8,500 GTW
TTMW4-2.5XL	4"	2.5"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 4" DROP, 2.5" SHANK - 12,500 GTW
TTMW6-2	6"	2"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 6" DROP, 2" SHANK - 8,500 GTW
TTMW6-2XL	6"	2"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 6" DROP, 2" SHANK - 12,500 GTW
TTMW6-2.5	6"	2.5"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 6" DROP, 2.5" SHANK - 8,500 GTW
TTMW6-2.5XL	6"	2.5"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 6" DROP, 2.5" SHANK - 12,500 GTW
TTMW8-2	8"	2"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 8" DROP, 2" SHANK - 8,500 GTW
TTMW8-2XL	8"	2"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 8" DROP, 2" SHANK - 12,500 GTW
TTMW8-2.5	8"	2.5"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 8" DROP, 2.5" SHANK - 8,500 GTW
TTMW8-2.5XL	8"	2.5"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 8" DROP, 2.5" SHANK - 12,500 GTW
TTMW10-2	10"	2"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 10" DROP, 2" SHANK - 8,500 GTW
TTMW10-2XL	10"	2"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 10" DROP, 2" SHANK - 12,500 GTW
TTMW10-2.5	10"	2.5"	8,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 10" DROP, 2.5" SHANK - 8,500 GTW
TTMW10-2.5XL	10"	2.5"	12,500 LBS	TRUE TOW MIDDLEWEIGHT WDH - 10" DROP, 2.5" SHANK - 12,500 GTW

TRUE TOW HEAVYWEIGHT FULL UNIT

PART #	DROP	SHANK	MAX GTW	DESCRIPTION
TTHW4-2	4"	2"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 4" DROP, 2" SHANK - 18,500 GTW
THW4-2XL	4"	2"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 4" DROP, 2" SHANK - 22,000 GTW
TTHW4-2.5	4"	2.5"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 4" DROP, 2.5" SHANK - 18,500 GTW
TTHW4-2.5XL	4"	2.5"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 4" DROP, 2.5" SHANK - 22,000 GTW
TTHW6-2	6"	2"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 6" DROP, 2" SHANK - 18,500 GTW
TTHW6-2XL	6"	2"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 6" DROP, 2" SHANK - 22,000 GTW
TTHW6-2.5	6"	2.5"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 6" DROP, 2.5" SHANK - 18,500 GTW
TTHW6-2.5XL	6"	2.5"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 6" DROP, 2.5" SHANK - 22,000 GTW
TTHW8-2	8"	2"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 8" DROP, 2" SHANK - 18,500 GTW
TTHW8-2XL	8"	2"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 8" DROP, 2" SHANK - 22,000 GTW
TTHW8-2.5	8"	2.5"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 8" DROP, 2.5" SHANK - 18,500 GTW
TTHW8-2.5XL	8"	2.5"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 8" DROP, 2.5" SHANK - 22,000 GTW
TTHW10-2	10"	2"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 10" DROP, 2" SHANK - 18,500 GTW
TTHW10-2XL	10"	2"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 10" DROP, 2" SHANK - 22,000 GTW
TTHW10-2.5	10"	2.5"	18,500 LBS	TRUE TOW HEAVYWEIGHT WDH - 10" DROP, 2.5" SHANK - 18,500 GTW
TTHW10-2.5XL	10"	2.5"	22,000 LBS	TRUE TOW HEAVYWEIGHT WDH - 10" DROP, 2.5" SHANK - 22,000 GTW

PART NUMBERS

MIDDLEWEIGHT + HEAVYWEIGHT COMPONENTS

+ WS05 (HITCH PIN)

TTMW4-2-KA	TTHW4-2-KA
TTMW4-2XL-KA	TTHW4-2XL-KA
TTMW4-2.5-KA	TTHW4-2.5-KA
TTMW4-2.5XL-KA	TTHW4-2.5XL-KA
TTMW6-2-KA	TTHW6-2-KA
TTMW6-2XL-KA	TTHW6-2XL-KA
TTMW6-2.5-KA	TTHW6-2.5-KA
TTMW6-2.5XL-KA	TTHW6-2.5XL-KA
TTMW8-2-KA	TTHW8-2-KA
TTMW8-2XL-KA	TTHW8-2XL-KA
TTMW8-2.5-KA	TTHW8-2.5-KA
TTMW8-2.5XL-KA	TTHW8-2.5XL-KA
TTMW10-2-KA	TTHW10-2-KA
TTMW10-2XL-KA	TTHW10-2XL-KA
TTMW10-2.5-KA	TTHW10-2.5-KA
TTMW10-2.5XL-KA	TTHW10-2.5XL-KA

+ WS16 (HITCH PIN+PADLOCK+COUPLER LATCH LOCK)

TTMW4-2-SET	TTHW4-2-SET
TTMW4-2XL-SET	TTHW4-2XL-SET
TTMW4-2.5-SET	TTHW4-2.5-SET
TTMW4-2.5XL-SET	TTHW4-2.5XL-SET
TTMW6-2-SET	TTHW6-2-SET
TTMW6-2XL-SET	TTHW6-2XL-SET
TTMW6-2.5-SET	TTHW6-2.5-SET
TTMW6-2.5XL-SET	TTHW6-2.5XL-SET
TTMW8-2-SET	TTHW8-2-SET
TTMW8-2XL-SET	TTHW8-2XL-SET
TTMW8-2.5-SET	TTHW8-2.5-SET
TTMW8-2.5XL-SET	TTHW8-2.5XL-SET
TTMW10-2-SET	TTHW10-2-SET
TTMW10-2XL-SET	TTHW10-2XL-SET
TTMW10-2.5-SET	TTHW10-2.5-SET
TTMW10-2.5XL-SET	TTHW10-2.5XL-SET

DRAW BARS

TTDB4-2	4" DROP, 2" SHANK DRAW BAR
TTDB4-2.5	4" DROP, 2.5" SHANK DRAW BAR
TTDB6-2	6" DROP, 2" SHANK DRAW BAR
TTDB6-2.5	6" DROP, 2.5" SHANK DRAW BAR
TTDB8-2	8" DROP, 2" SHANK DRAW BAR
TTDB8-2.5	8" DROP, 2.5" SHANK DRAW BAR
TTDB10-2	10" DROP, 2" SHANK DRAW BAR
TTDB10-2.5	10" DROP, 2.5" SHANK DRAW BAR

SPRING ARMS

TTSARM-LD	(2) BARS FOR MW 8.5K UNITS
TTSARM-MD	(2) BARS FOR MW 12.5K UNITS
TTSARM-HD	(2) BARS FOR HW 18.5K UNITS
TTSARM-MAX	(2) BARS FOR HW 22K UNITS

BRACKETS

TTBR	MIDDLEWEIGHT BRACKET SET (2 X HARDWARE + BRACKETS)
TTBR-HD	HEAVYWEIGHT BRACKET SET (2 X HARDWARE + BRACKETS)
TTBK-08	BRACKET SET FOR 8" TRAILER FRAMES (2 X HARDWARE + BRACKETS)

HEAD ASSEMBLY

TTSL-MLD	SLIDER FOR MW 8.5K & 12.5K UNITS
TTSL-HD	SLIDER FOR HW 18.5K & 22K UNITS

LIFT ARM

TTLA	MIDDLEWEIGHT LIFT ARM
TTLA-HD	HEAVYWEIGHT LIFT ARM

GOOSENECK HITCHES + COMPONENTS

GOOSENECK HITCHES

WSOEM	OEM BALL, CARRYING CASE, DUST COVER, KEYS
WSOEMPR	OEM BALL, CARRYING CASE, DUST COVER, KEYS, (2) RAM CHAIN ANCHOR PUCKS (RAM TRUCKS ONLY)
WSOEMPU	OEM BALL, CARRYING CASE, DUST COVER, KEYS, (2) GENERIC CHAIN ANCHOR PUCKS (FORD, GM, CHEVROLET, NISSAN, TOYOTA)
WSBW	BW INSERT BALL, CARRYING CASE, DUST COVER
WSISR	INDUSTRY STANDARD RAIL HITCH, (4) RAIL PINS & COTTER PINS

GOOSENECK COMPONENTS

WSPU	(2) GENERIC CHAIN ANCHOR PUCKS
WSPR	(2) RAM CHAIN ANCHOR PUCKS

PART NUMBERS

ALUMINUM 180 HITCH

BRUSHED ALUMINUM 180 | STAINLESS STEEL BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
LTB4-2	4" DROP, 2" SHANK	LTB4-2-KA	LTB4-2-SET
LTB4-2.5	4" DROP, 2.5" SHANK	LTB4-2.5-KA	LTB4-2.5-SET
LTB6-2	6" DROP, 2" SHANK	LTB6-2-KA	LTB6-2-SET
LTB6-2.5	6" DROP, 2.5" SHANK	LTB6-2.5-KA	LTB6-2.5-SET
LTB6-3	6" DROP, 3" SHANK	LTB6-3-KA	LTB6-3-SET
LTB8-2	8" DROP, 2" SHANK	LTB8-2-KA	LTB8-2-SET
LTB8-2.5	8" DROP, 2.5" SHANK	LTB8-2.5-KA	LTB8-2.5-SET
LTB8-3	8" DROP, 3" SHANK	LTB8-3-KA	LTB8-3-SET
LTB10-2	10" DROP, 2" SHANK	LTB10-2-KA	LTB10-2-SET
LTB10-2.5	10" DROP, 2.5" SHANK	LTB10-2.5-KA	LTB10-2.5-SET
LTB10-3	10" DROP, 3" SHANK	LTB10-3-KA	LTB10-3-SET

BRUSHED ALUMINUM 180 | CHROME-PLATED BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
CTB4-2	4" DROP, 2" SHANK	CTB4-2-KA	CTB4-2-SET
CTB4-2.5	4" DROP, 2.5" SHANK	CTB4-2.5-KA	CTB4-2.5-SET
CTB6-2	6" DROP, 2" SHANK	CTB6-2-KA	CTB6-2-SET
CTB6-2.5	6" DROP, 2.5" SHANK	CTB6-2.5-KA	CTB6-2.5-SET
CTB6-3	6" DROP, 3" SHANK	CTB6-3-KA	CTB6-3-SET
CTB8-2	8" DROP, 2" SHANK	CTB8-2-KA	CTB8-2-SET
CTB8-2.5	8" DROP, 2.5" SHANK	CTB8-2.5-KA	CTB8-2.5-SET
CTB8-3	8" DROP, 3" SHANK	CTB8-3-KA	CTB8-3-SET
CTB10-2	10" DROP, 2" SHANK	CTB10-2-KA	CTB10-2-SET
CTB10-2.5	10" DROP, 2.5" SHANK	CTB10-2.5-KA	CTB10-2.5-SET
CTB10-3	10" DROP, 3" SHANK	CTB10-3-KA	CTB10-3-SET

BLACK CERAKOTE ALUMINUM 180 | STAINLESS STEEL COMBO BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
LTB4-2-CER-BLA	4" DROP, 2" SHANK	LTB4-2-KA-CER-BLA	LTB4-2-SET-CER-BLA
LTB4-2.5-CER-BLA	4" DROP, 2.5" SHANK	LTB4-2.5-KA-CER-BLA	LTB4-2.5-SET-CER-BLA
LTB6-2-CER-BLA	6" DROP, 2" SHANK	LTB6-2-KA-CER-BLA	LTB6-2-SET-CER-BLA
LTB6-2.5-CER-BLA	6" DROP, 2.5" SHANK	LTB6-2.5-KA-CER-BLA	LTB6-2.5-SET-CER-BLA
LTB6-3-CER-BLA	6" DROP, 3" SHANK	LTB6-3-KA-CER-BLA	LTB6-3-SET-CER-BLA
LTB8-2-CER-BLA	8" DROP, 2" SHANK	LTB8-2-KA-CER-BLA	LTB8-2-SET-CER-BLA
LTB8-2.5-CER-BLA	8" DROP, 2.5" SHANK	LTB8-2.5-KA-CER-BLA	LTB8-2.5-SET-CER-BLA
LTB8-3-CER-BLA	8" DROP, 3" SHANK	LTB8-3-KA-CER-BLA	LTB8-3-SET-CER-BLA
LTB10-2-CER-BLA	10" DROP, 2" SHANK	LTB10-2-KA-CER-BLA	LTB10-2-SET-CER-BLA
LTB10-2.5-CER-BLA	10" DROP, 2.5" SHANK	LTB10-2.5-KA-CER-BLA	LTB10-2.5-SET-CER-BLA
LTB10-3-CER-BLA	10" DROP, 3" SHANK	LTB10-3-KA-CER-BLA	LTB10-3-SET-CER-BLA

BLACK CERAKOTE ALUMINUM 180 | CHROME-PLATED COMBO BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
CTB4-2-CER-BLA	4" DROP, 2" SHANK	CTB4-2-KA-CER-BLA	CTB4-2-SET-CER-BLA
CTB4-2.5-CER-BLA	4" DROP, 2.5" SHANK	CTB4-2.5-KA-CER-BLA	CTB4-2.5-SET-CER-BLA
CTB6-2-CER-BLA	6" DROP, 2" SHANK	CTB6-2-KA-CER-BLA	CTB6-2-SET-CER-BLA
CTB6-2.5-CER-BLA	6" DROP, 2.5" SHANK	CTB6-2.5-KA-CER-BLA	CTB6-2.5-SET-CER-BLA
CTB6-3-CER-BLA	6" DROP, 3" SHANK	CTB6-3-KA-CER-BLA	CTB6-3-SET-CER-BLA
CTB8-2-CER-BLA	8" DROP, 2" SHANK	CTB8-2-KA-CER-BLA	CTB8-2-SET-CER-BLA
CTB8-2.5-CER-BLA	8" DROP, 2.5" SHANK	CTB8-2.5-KA-CER-BLA	CTB8-2.5-SET-CER-BLA
CTB8-3-CER-BLA	8" DROP, 3" SHANK	CTB8-3-KA-CER-BLA	CTB8-3-SET-CER-BLA
CTB10-2-CER-BLA	10" DROP, 2" SHANK	CTB10-2-KA-CER-BLA	CTB10-2-SET-CER-BLA
CTB10-2.5-CER-BLA	10" DROP, 2.5" SHANK	CTB10-2.5-KA-CER-BLA	CTB10-2.5-SET-CER-BLA
CTB10-3-CER-BLA	10" DROP, 3" SHANK	CTB10-3-KA-CER-BLA	CTB10-3-SET-CER-BLA

STEEL 180 PRO HITCH

HITCH	DROP / SHANK	+ WS05	+ WS16
STB6-2	6" DROP, 2" SHANK	STB6-2-KA	STB6-2-SET
STB6-2.5	6" DROP, 2.5" SHANK	STB6-2.5-KA	STB6-2.5-SET
STB8-2	8" DROP, 2" SHANK	STB8-2-KA	STB8-2-SET
STB8-2.5	8" DROP, 2.5" SHANK	STB8-2.5-KA	STB8-2.5-SET

PART INFO

+ WS05
KEYED-ALIKE HITCH PIN

+ WS16
3 PIECE KEYED-ALIKE LOCK SET:
HITCH PIN + COUPLER LATCH LOCK + PADLOCK

ALUMINUM WEIGH SAFE HITCH

BRUSHED ALUMINUM WEIGH SAFE

HITCH	DROP / SHANK	+ WS05	+ WS16
WS4-2	4" DROP, 2" SHANK	WS4-2-KA	WS4-2-SET
WS4-2.5	4" DROP, 2.5" SHANK	WS4-2.5-KA	WS4-2.5-SET
WS6-2	6" DROP, 2" SHANK	WS6-2-KA	WS6-2-SET
WS6-2.5	6" DROP, 2.5" SHANK	WS6-2.5-KA	WS6-2.5-SET
WS6-3	6" DROP, 3" SHANK	WS6-3-KA	WS6-3-SET
WS8-2	8" DROP, 2" SHANK	WS8-2-KA	WS8-2-SET
WS8-2.5	8" DROP, 2.5" SHANK	WS8-2.5-KA	WS8-2.5-SET
WS8-3	8" DROP, 3" SHANK	WS8-3-KA	WS8-3-SET
WS10-2	10" DROP, 2" SHANK	WS10-2-KA	WS10-2-SET
WS10-2.5	10" DROP, 2.5" SHANK	WS10-2.5-KA	WS10-2.5-SET
WS10-3	10" DROP, 3" SHANK	WS10-3-KA	WS10-3-SET

PART INFO

+ WS05

KEYED-ALIKE HITCH PIN

+ WS16

3 PIECE KEYED-ALIKE LOCK SET:

+ HITCH PIN

+ COUPLER LATCH LOCK

+ PADLOCK

BLACK CERAKOTE ALUMINUM WEIGH SAFE

HITCH	DROP / SHANK	+ WS05	+ WS16
WS4-2-CER-BLA	4" DROP, 2" SHANK	WS4-2-KA-CER-BLA	WS4-2-SET-CER-BLA
WS4-2.5-CER-BLA	4" DROP, 2.5" SHANK	WS4-2.5-KA-CER-BLA	WS4-2.5-SET-CER-BLA
WS6-2-CER-BLA	6" DROP, 2" SHANK	WS6-2-KA-CER-BLA	WS6-2-SET-CER-BLA
WS6-2.5-CER-BLA	6" DROP, 2.5" SHANK	WS6-2.5-KA-CER-BLA	WS6-2.5-SET-CER-BLA
WS6-3-CER-BLA	6" DROP, 3" SHANK	WS6-3-KA-CER-BLA	WS6-3-SET-CER-BLA
WS8-2-CER-BLA	8" DROP, 2" SHANK	WS8-2-KA-CER-BLA	WS8-2-SET-CER-BLA
WS8-2.5-CER-BLA	8" DROP, 2.5" SHANK	WS8-2.5-KA-CER-BLA	WS8-2.5-SET-CER-BLA
WS8-3-CER-BLA	8" DROP, 3" SHANK	WS8-3-KA-CER-BLA	WS8-3-SET-CER-BLA
WS10-2-CER-BLA	10" DROP, 2" SHANK	WS10-2-KA-CER-BLA	WS10-2-SET-CER-BLA
WS10-2.5-CER-BLA	10" DROP, 2.5" SHANK	WS10-2.5-KA-CER-BLA	WS10-2.5-SET-CER-BLA
WS10-3-CER-BLA	10" DROP, 3" SHANK	WS10-3-KA-CER-BLA	WS10-3-SET-CER-BLA

STEEL WEIGH SAFE HITCH

HITCH	DROP / SHANK	+ WS05	+ WS16
SWS6-2	6" DROP, 2" SHANK	SWS6-2-KA	SWS6-2-SET
SWS6-2.5	6" DROP, 2.5" SHANK	SWS6-2.5-KA	SWS6-2.5-SET
SWS6-3	6" DROP, 3" SHANK	SWS6-3-KA	SWS6-3-SET
SWS8-2	8" DROP, 2" SHANK	SWS8-2-KA	SWS8-2-SET
SWS8-2.5	8" DROP, 2.5" SHANK	SWS8-2.5-KA	SWS8-2.5-SET
SWS8-3	8" DROP, 3" SHANK	SWS8-3-KA	SWS8-3-SET

STEEL AERO HITCH

HITCH	DROP / SHANK	+ WS05	+ WS16
AWS4-2	4" DROP, 2" SHANK	AWS4-2-KA	AWS4-2-SET
AWS6-2	6" DROP, 2" SHANK	AWS6-2-KA	AWS6-2-SET
AWS8-2	8" DROP, 2" SHANK	AWS8-2-KA	AWS8-2-SET
AWS10-2	10" DROP, 2" SHANK	AWS10-2-KA	AWS10-2-SET

ACCESSORIES

WS07	CLAMSHELL ADAPTER + STORAGE BAG
WS28	5 PACK CLAMSHELL + DISPLAY BOX
WSARR-2	ANTI-RATTLE RECEIVER REDUCER
WS20	ALUMINUM HITCH POLISHING KIT
WS23	RED STORAGE CASE
WS24	RUBBER TAILGATE BUMP STOP

FIXED HEIGHT HITCH

WSFH2-2	FIXED HEIGHT (WITHOUT TOW BALL)
WSFH2-2-01	FIXED HEIGHT + 2" CHROME TOW BALL
WSFH2-2-07	FIXED HEIGHT + 2" CHROME TOW BALL + CLAMSHELL ADAPTER

PART NUMBERS

ADJUSTABLE TRAILER HITCH COMPONENTS

DRAW BARS

ALUMINUM	CERAKOTE	STEEL	AERO
DB4-2	DB4-2-CER-BLA	SDB6-2	AWSDB4-2
DB4-2.5	DB4-2.5-CER-BLA	SDB6-2.5	AWSDB6-2
DB6-2	DB6-2-CER-BLA	SDB8-2	AWSDB8-2
DB6-2.5	DB6-2.5-CER-BLA	SDB8-2.5	AWSDB10-2
DB6-3	DB6-3-CER-BLA		
DB8-2	DB8-2-CER-BLA		
DB8-2.5	DB8-2.5-CER-BLA		
DB8-3	DB8-3-CER-BLA		
DB10-2	DB10-2-CER-BLA		
DB10-2.5	DB10-2.5-CER-BLA		
DB10-3	DB10-3-CER-BLA		

SLIDERS

WS01	WS BRUSHED ALUMINUM SLIDER
TB01	180 BRUSHED ALUMINUM SLIDER
WS01-CER-BLA	WS CERAKOTE ALUMINUM SLIDER
TB01-CER-BLA	180 CERAKOTE ALUMINUM SLIDER
SWS01	WS STEEL SLIDER
AWS01	AERO HITCH SLIDER W/ TOW BALL
STB02	180 STEEL SLIDER W/ COMBO BALL

TOW BALLS

WSB-L	1 7/8" STAINLESS STEEL WS TOW BALL
WSB-XL	2" STAINLESS STEEL WS TOW BALL
WSB-XXL	2 5/16" STAINLESS STEEL WS TOW BALL
TB03	1 7/8" x 2" 180 STAINLESS STEEL COMBO BALL
TB09	1 7/8" x 2" 180 CHROME-PLATED STEEL COMBO BALL
LTB-XXL	2" x 2 5/16" 180 STAINLESS STEEL COMBO BALL
CTB-XXL	2" x 2 5/16" 180 CHROME-PLATED STEEL COMBO BALL
GTB02	FIXED HEIGHT 2" CHROME-PLATED STEEL TOW BALL
WS18	WS TOW BALL STORAGE BAG

LOCKS + PINS

WS03	BRUSHED ALUMINUM DUAL PIN KEY LOCK
SWS03	POWDER-COATED STEEL DUAL PIN KEY LOCK
WS03-CER-BLA	CERAKOTE ALUMINUM DUAL PIN KEY LOCK
WS04	ALUMINUM WS BALL RETAINING PIN
SWS04	STEEL WS BALL RETAINING PIN
WS05	HITCH LOCKING PIN
WS06	HITCH LOCKING PIN + DUAL PIN SLIDER LOCK
WS08	DUAL PIN DUST LOCK COVER
WS09	KEYS
WS10	HITCH LOCKING PIN DUST COVER
WS11	TRAILER COUPLER LATCH LOCK
WS12	QTY 1 PADLOCK
WS13	QTY 2 PADLOCK
WS14	QTY 4 PADLOCK
WS15	COMPLETE KEYED-ALIKE LOCK SET: (1) WS03, (1) WS05, (1) WS11, (1) WS12
WS16	3 PIECE KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11, (1) WS12
WS17	KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11
WS19	KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11, (2) WS13
WS21	COUPLER LATCH LOCK DUST COVER
WS22	TRAILER COUPLER BALL LOCK
WS25	COMPLETE KEYED-ALIKE LOCK SET: (1) WS03, (1) WS05, (1) WS11, (1) WS12, (1) WS22
WS26	4 PIECE KEYED-ALIKE LOCK SET: 1) WS05, 1) WS11, (1) WS12, (1) WS22
WS27	KEYED-ALIKE LOCK SET: (1) WS11, (1) WS12, (1) WS22
TB04	180 BALL RETAINING PIN
TB05	ALUMINUM COTTER PIN LOCK PLATE
AWS03	AERO HITCH SLIDER LOCK PIN
AWS05	AERO HITCH RECEIVER PIN WITH COTTER PIN

RECOVERY

WS-HK	BRUSHED ALUMINUM VEHICLE HOOK
WS-HK-CER-BLA	CERAKOTE BLACK ALUMINUM VEHICLE HOOK
WS-HK-CER-RED	CERAKOTE RED ALUMINUM VEHICLE HOOK
WS-SS	BRUSHED ALUMINUM SOFT SHACKLE RING
WS-SS-CER-BLA	CERAKOTE BLACK ALUMINUM SOFT SHACKLE RING
WS-SS-CER-RED	CERAKOTE RED ALUMINUM SOFT SHACKLE RING
WS-HS-B	ALUMINUM HARD SHACKLE WITH BLACK RING
WS-HS-R	ALUMINUM HARD SHACKLE WITH RED RING
WS29	KINETIC ROPE 5/8" DIAMETER, 20' LENGTH (5,033 LBS RATING)
WS30	KINETIC ROPE 7/8" DIAMETER, 20' LENGTH (9,766 LBS RATING)
WS31	KINETIC ROPE 1" DIAMETER, 30' LENGTH (11,300 LBS RATING)
WS32	KINETIC ROPE 1 1/4" DIAMETER, 30' LENGTH (18,066 LBS RATING)
WS34	1/2" DIAMETER SOFT SHACKLE WITH PROTECTIVE SHEATH (15,333 LBS RATING)

Don't see the part number you're looking for?

Call/text us at
801.820.7020

or email us at
sales@weigh-safe.com!



[@bogobaits](#)



[@builtby_n8](#)



[wanderingweekends](#)

OUR INFLUENCER FAMILY



[@kylecullen](#)



[@ak_ecobeast_thesquatch](#)



[@dallasapla](#)



[@cowboycustomdiesel](#)



[@tfltruck](#)



420 N. Geneva Road
Lindon, Utah 84042
801.820.7020
customersupport@weigh-safe.com

